



BELLARINE WORMS

DAY TO DAY BACKYARD CHICKEN CARE

1/ Your chickens should have access to clean fresh drinking water always

2/ Your chickens should have access to a good quality Layer feed of you choosing always

3/ Add a good splash of Apple Cider Vinegar to their water once a week to aid with good internal health, feathering and egg quality making sure they have no access to other water sources during this time.

4/ Add ½ a cup of Diatomaceous Earth (DE) to their feed once a month to aid with good internal health and internal parasite control

5/ Lightly dust nesting boxes, dust bath areas, hutch floor and run with DE powder once a month to aid with Lice and Mite control

NOTE: For Best Practice

Use pine shavings in nesting boxes and on hutch floor.

Use straw on the ground of their run.

Chickens require lots of shade in the warmer months.

Keep nesting boxes dark and low to the ground and perches up hi and secure.



BELLARINE WORMS

DAY TO DAY BACKYARD CHICKEN CARE

NOTE:

Please be mindful that once chickens have passed approximately 18-24 months of age, laying will become irregular, shell quality will start to deteriorate and due to a natural moulting process, they will go off the lay for several months particularly in the cooler months but will then continue to lay once they have regrown all their feathers.

NOTE:

All our chickens have been vaccinated for the following:

AGE	VACCINATION	METHOD
Day Old	Mareks (MD)	Injection
Day Old	Infectious Bronchitis (IB)	Spray
4 Weeks	Newcastle Disease (NDV)	Water
4 Weeks	Infectious Laryo Tracheitis (ILT)	Water
6 Weeks	Infections Bronchitis (IB)	Water
8 Weeks	Avian Encaphalomyalitis (AE)	Water
10 Weeks	Deworm with Benzicare	Water
12 Weeks	Newcastle Disease (NDV)	Injection
	Egg Drop Syndrome (EDS)	Injection
	Fowl Pox (FP)	Wing Stab
	Infectious Laryo Tracheitis (ILT)	Eye Drop
13 Weeks	Infections Bronchitis (IB)	Water
14 Weeks	Deworm with Benzicare	Water